



Φ

RIVIERA

CLIFTON

CLASSIMA

HAMPTON



CLIFTON

Reference
M0A10756
 (M0A10757)

Baumatic Moon Phase Date
 Ø 39 mm – Steel / Alligator



POWER RESERVE



ACCURACY



ANTIMAGNETIC



DURABILITY



8 YEAR WARRANTY

MOVEMENT

Manufacture self-winding Baumatic (BM14-1975 AC1)
 Bridges with circular-grained decor
 Sandblasted plate with snailed decor
 Open-worked oscillating weight adorned with
 "Côtes de Genève" and snailed decors
 Specific Baume & Mercier engravings
 Power reserve: 5 days (120 hours)
 Jewels: 21
 Frequency: 4Hz (28,800 vph)
 Size: 14 ½''' / Thickness: 5,7 mm

FUNCTIONS

H/M/S, moon-phase, date

CASE

Round
 Diameter: 39 mm
 Thickness: 12,2 mm
 Polished and satin-finished stainless steel case & crown
 Antiglare (2 faces) scratch-resistant domed sapphire
 crystal
 Sapphire open case back secured with 4 screws*

DIAL

Gradient blue lacquered
 Riveted rhodium-plated trapezoid-shaped indexes
 slightly elongated
 Faceted rhodium-plated alpha H/M hands
 Rhodium-plated seconds and date hands
 Date display on snailed rhodium-plated ring
 Polished rhodium-plated moon-phase disc with blue
 lacquered finish

STRAP

Interchangeable blue all square scales alligator with
 tone-on-tone stitching on the top, beige lining with
 burgundy stitching on the bottom and bridle points at the
 buckle
 System of curved bars with very reliable lug that
 allows to change the strap without tools

BUCKLE

Interchangeable triple folding stainless steel buckle with
 security push-pieces

WATER-RESISTANCE

5 ATM (approx. 50m)



Geneva - Switzerland

* Possibility to engrave the case back



CLIFTON

Reference
M0A10758
 (M0A10759)

Baumatic Moon Phase Date
 Ø 39 mm – Steel / Alligator



POWER RESERVE



ACCURACY



ANTIMAGNETIC



DURABILITY



8 YEAR WARRANTY

MOVEMENT

Manufacture self-winding Baumatic (BM14-1975 AC1)
 Bridges with circular-grained decor
 Sandblasted plate with snailed decor
 Open-worked oscillating weight adorned with
 "Côtes de Genève" and snailed decors
 Specific Baume & Mercier engravings
 Power reserve: 5 days (120 hours)
 Jewels: 21
 Frequency: 4Hz (28,800 vph)
 Size: 14 ½''' / Thickness: 5,7 mm

FUNCTIONS

H/M/S, moon-phase, date

CASE

Round
 Diameter: 39 mm
 Thickness: 12,2 mm
 Polished and satin-finished stainless steel case & crown
 Antiglare (2 faces) scratch-resistant domed sapphire
 crystal
 Sapphire open case back secured with 4 screws*

DIAL

Gradient grey lacquered
 Riveted gilded trapezoid-shaped slightly elongated indexes
 Faceted gilded alpha H/M hands
 Gilded seconds and date hands
 Date display on snailed gilded ring
 Polished gilded moon-phase disc with black lacquered
 finish

STRAP

Interchangeable black all square scales alligator with
 tone-on-tone stitching on the top, beige lining with
 blue stitching on the bottom and bridle points at the
 buckle
 System of curved bars with very reliable lug that
 allows to change the strap without tools

BUCKLE

Interchangeable triple folding stainless steel buckle with
 security push-pieces

WATER-RESISTANCE

5 ATM (approx. 50m)



Geneva - Switzerland

15

* Possibility to engrave the case back