



CLIFTON

Reference
M0A10467

Baumatic COSC
Ø 40 mm – Steel / Alligator



POWER RESERVE



ACCURACY



ANTIMAGNETIC



DURABILITY



8Y WARRANTY

KEY CHARACTERISTICS

Baumatic calibre COSC certified. Polished & satin-finished steel case. Gradient blue dial. Riveted indexes. Black alligator strap.

SIZE

40 mm

MOVEMENT

In-house, automatic (BM13-1975A COSC)

FUNCTIONS

H/Mn/Sec, date

CASE

Polished & satin-finished stainless steel, Antiglare (2 faces) scratch-resistant domed sapphire crystal

CASE BACK*

Open case back, fixed with 4 screws

DIAL

Gradient blue dial
Riveted indexes and alpha type H/Mn/Sec hands

STRAP

Self-interchangeable black alligator strap

BUCKLE

Pin buckle

WATER-RESISTANCE

50 m

OTHERS

Individual COSC certificate available on demand



* Possibility to engrave the case back



CLIFTON

Reference
M0A10518

Baumatic COSC
Ø 40 mm – Steel / Alligator



POWER RESERVE



ACCURACY



ANTIMAGNETIC



DURABILITY



8Y WARRANTY

KEY CHARACTERISTICS	Baumatic calibre COSC certified. Polished & satin-finished steel case. White dial. Riveted indexes. Black alligator strap.
SIZE	40 mm
MOVEMENT	In-house, automatic (BM13-1975A COSC)
FUNCTIONS	H/Mn/Sec, date
CASE	Polished & satin-finished stainless steel, Antiglare (2 faces) scratch-resistant domed sapphire crystal
CASE BACK*	Open case back, fixed with 4 screws
DIAL	White dial with porcelain-type finish Riveted indexes and alpha type H/Mn/Sec hands
STRAP	Self-interchangeable black alligator strap
BUCKLE	Triple folding clasp with security push-pieces
WATER-RESISTANCE	50 m (5 ATM)
OTHERS	Individual COSC certificate available on demand



* Possibility to engrave the case back



CLIFTON

Reference
M0A10692

Baumatic COSC
Ø 40 mm – Steel / Alligator



POWER RESERVE



ACCURACY



ANTIMAGNETIC



DURABILITY



8Y WARRANTY

MOVEMENT	Automatic (BAUMATIC BM13 1975A COSC) Bridge with circular-grained decor Sandblasted plate with snailed decor Open-worked oscillating weight adorned with "Côtes de Genève" and snailed decors, Baume & Mercier engravings Power reserve: 5 days (120 hours) Jewels: 21 Frequency: 4Hz (28,800 vph) Thickness: 4.2 mm
FUNCTIONS	H/M/S, date
CASE	Round Diameter: 40 mm Thickness: 11.3 mm Polished and satin-finished stainless steel Antiglare (2 faces) scratch-resistant domed sapphire crystal Sapphire case back secured with 4 screws*
DIAL	Black lacquered with a white crosshair in the center Riveted trapezoid-shaped rhodium-plated indexes slightly elongated Rhodium-plated alpha hands Enlarged date aperture at 3 o'clock
STRAP	Interchangeable black all square scales alligator with tone-on-tone stitching on the top and blue color on the bottom and bridle points at the buckle System of curved bars with very reliable lug that allows to change the strap without tools
BUCKLE	Triple folding buckle with security push-pieces
WATER-RESISTANCE	5 ATM (approx. 50m)



* Possibility to engrave the case back