

TIMEPIECES FILES

Novelties FY26

CLIFTON

CLIFTON



Reference
M0A10802
(M0A10803)
Baumatic
Ø 39 mm – Pink Gold / Alligator

MOVEMENT

Manufacture self-winding Baumatic (BM13-1975 A)
Bridges with circular-grained decor
Sandblasted plate with snailed decor
Open-worked gilded oscillating weight adorned with
«Côtes de Genève» and snailed decors
Specific Baume & Mercier engravings
Power reserve: 5 days (120 hours)
Jewels: 21
Frequency: 4Hz (28,800 vph)
Size: 12 ½''' / Thickness: 4,2 mm

FUNCTIONS

H/M/S, date

CASE

Round
Diameter: 39 mm
Thickness: 11,54 mm
Polished and satin-finished 18K pink gold
Antiglare (2 faces) scratch-resistant domed sapphire crystal
18K pink gold crown
Sapphire open case back*

DIAL

Grained off-white dial with a black crosshair in the center
Riveted gilded trapezoid-shaped slightly elongated indexes
and Arabic numeral at 12 o'clock
Faceted gilded alpha H/M hands
Gilded seconds hand
Date display at 6 o'clock
Black minute track

STRAP

Interchangeable brown all square scales alligator with
tone-on-tone stitching on the top, beige lining with ocher
stitching on the bottom and bridle points at the buckle
System of curved bars with very reliable lug that allows to
change the strap without tools

BUCKLE

5N gilt PVD steel pin buckle

WATER-RESISTANCE

5 ATM (approx. 50m)

GOLD WEIGHT EST.

23,20g

**Possibility to engrave the case back*

CLIFTON



Reference
M0A10778
Limited Edition of 350 pieces
Baumatic
Ø 39 mm – Steel / Calfskin + Calfskin

MOVEMENT

Manufacture self-winding Baumatic (BM13-1975 A)
Bridges with circular-grained decor
Sandblasted plate with snailed decor
Open-worked oscillating weight adorned with
«Côtes de Genève» and snailed decors
Specific Baume & Mercier engravings
Power reserve: 5 days (120 hours)
Jewels: 21
Frequency: 4Hz (28,800 vph)
Size: 12 ½''' / Thickness: 4,2 mm

FUNCTIONS

H/M/S, date

CASE

Round
Diameter: 39 mm
Thickness: 11,22 mm
Polished and satin-finished stainless-steel case & crown
Antiglare (2 faces) scratch-resistant domed sapphire crystal
Sapphire case back secured with 4 screws and special engraving
“Limited Edition One Of 350”*

DIAL

Opaline salmon with a black crosshair in the center
Riveted rhodium-plated trapezoid-shaped slightly elongated
indexes and Arabic numeral at 12 o'clock
Faceted rhodium-plated alpha H/M hands
Black oxydised seconds hand
Date display at 6 o'clock
Black minute track

STRAP

Interchangeable black calfskin with tone-on-tone stitching
on the top.
System of curved bars with very reliable lug that allows
to change the strap without tools
Additional interchangeable beige calfskin

BUCKLE

Interchangeable triple folding stainless steel buckle with security
push-pieces

WATER-RESISTANCE

5 ATM (approx. 50m)

**Possibility to engrave the case back*

CLIFTON



Reference
M0A10771
(M0A10772)
Baumatic
Ø 39 mm – Steel / Alligator

MOVEMENT

Manufacture self-winding Baumatic (BM13-1975 A)
Bridges with circular-grained decor
Sandblasted plate with snailed decor
Open-worked oscillating weight adorned with
«Côtes de Genève» and snailed decors
Specific Baume & Mercier engravings
Power reserve: 5 days (120 hours)
Jewels: 21
Frequency: 4Hz (28,800 vph)
Size: 12 ½''' / Thickness: 4,2 mm

FUNCTIONS

H/M/S, date

CASE

Round
Diameter: 39 mm
Thickness: 11,22 mm
Polished and satin-finished stainless-steel case & crown
Antiglare (2 faces) scratch-resistant domed sapphire crystal
Sapphire case back secured with 4 screws*

DIAL

Gradient blue lacquered with a white crosshair in the center
Riveted rhodium-plated trapezoid-shaped slightly elongated
indexes and Arabic numeral at 12 o'clock
Faceted rhodium-plated alpha H/M hands
Rhodium-plated seconds hand
Date display at 6 o'clock
White minute track

STRAP

Interchangeable blue all square scales alligator with
tone-on-tone stitching on the top, beige lining with burgundy
stitching on the bottom and bridle points at the buckle
System of curved bars with very reliable lug that allows
to change the strap without tools

BUCKLE

Interchangeable triple folding stainless steel buckle with security
push-pieces

WATER-RESISTANCE

5 ATM (approx. 50m)

**Possibility to engrave the case back*